
DOI: https://doi.org/10.1070/RM9833

MATHEMATICAL LIFE

Boris Rufimovich Vainberg (on his 80th birthday)

Boris Rufimovich Vainberg was born on 17 March 1938 in Moscow. His father was a leading engineer at an aircraft design office and his mother was a housewife. From his early years Boris was interested in mathematics, took part in mathematical study groups (very popular at that time), and participated in the regularly held Moscow mathematical olympiads. His first mathematics library consisted of the books he received as prizes won in olympiads.

On graduating from secondary school, Boris enrolled in 1955 in the Faculty of Mechanics and Mathematics (Mech-Math) of Moscow State University, and in 1960, after the usual 5-year course, he began postgraduate studies in the Department of Differential Equations, where Professor S. A. Gal'pern was



his scientific advisor. At that time the department was led by Ivan Georgievich Petrovsky, the rector of Moscow University, who was an embodiment of what we can now call 'the golden age of 'Mech-Math'. Such prominent researchers as V. I. Arnold, M. I. Vishik, E. M. Landis, and O. A. Oleinik were teaching then in the department. Other departments also featured such star researchers as A. N. Kolmogorov (probability theory), P. S. Alexandroff (topology), I. M. Gelfand and D. E. Men'shov (theory of functions and functional analysis), . . . ; the list goes on and on.

At these times of a political 'thaw' Mech-Math and particularly its Department of Differential Equations were very responsive to the very latest scientific ideas. First and foremost was the theory of distributions, founded by S. L. Sobolev as long ago as the 1930s, extended by L. Schwartz in the 1950s, and then further developed by Gelfand, G. E. Shilov, and others. Here we should also mention L. Hörmander's revolutionary works (on pseudodifferential operators, integral Fourier operators, hypoelliptic operators). One of Vainberg's important publications at the beginning of his career in research was devoted precisely to an analysis

AMS 2010 Mathematics Subject Classification. Primary 01A70.

^{© 2019} Russian Academy of Sciences (DoM), London Mathematical Society, Turpion Ltd.

of Dirichlet–Neumann-type maps from the standpoint of pseudodifferential operators (see below).

In 1963 Vainberg defended his Ph.D. thesis, and with the essential support of Petrovsky was retained in the department as an assistant professor. He worked there for 28 years and for many years was the academic secretary of the department. He also made great contributions to the functioning of a correspondence school of mathematical education which was organized by Gelfand under the auspices of Mech-Math: namely, he attracted Mech-Math undergraduates to help with checking work sent by students of the correspondence school, and he supervised all communications between checkers and distant students. In August 1991 Vainberg moved to the USA. He spent his first year there as an invited professor at the University of Delaware, and since 1992 he has been a professor at the University of North Carolina in Charlotte.

Vainberg is the author of three monographs ([9], [11], and [22]), a chapter in the book [10], and about 170 research papers, mostly concerned with mathematical physics and partial differential equations.

In his Ph.D. thesis Conditions at infinity which ensure that hypoelliptic equations are solvable in the whole space he found [1] Sommerfeld-type radiation conditions for general elliptic operators (including the equations of elasticity theory). Much later he used these results in the joint paper [21] with W. Shaban (his postgraduate student) to analyze the discrete Laplace operator when the radiation conditions are significantly different from the usual conditions: there exist several scattered waves and the limit absorption principle fails for some frequencies.

In 1968 he and V. V. Grushin shared a prize of the Moscow Mathematical Society (their annual prize for young mathematicians) for the papers [2] and [3] on uniformly non-coercive problems for elliptic equations. One important consequence of these papers was the assertion that the Dirichlet–Neumann map is a pseudodifferential operator together with a calculation of its full symbol.

In 1970 Vainberg presented his D.Sc. thesis *Elliptic problems in external domains* and the large-time asymptotic behaviour of solutions of hyperbolic equations. The thesis was rejected because of the rapidly growing antisemitism in the late 1960s. Slightly earlier, when the defence of the D.Sc. thesis of the remarkable mathematician G.I. Eskin (now a professor at UCLA) went wrong, it was regarded as a casual aberration. Boris Vainberg was the next, and after that it was recognized that the atmosphere at Mech-Math had deteriorated sharply.

In 1973 Vainberg and Maz'ya described the waves produced by steady-state oscillations of a body put in a stratified fluid of variable depth or by the uniform motion of a body immersed in a fluid ([5], [6]). They found geometric conditions on the inhomogeneities (rises on the bottom of the fluid and the shape of the body) for which there are no eigenvalues embedded in the continuous spectrum, which results in the unique solvability of the problem. For operators with periodic coefficients Vainberg proved the non-existence of embedded eigenvalues in a subsequent joint paper with P. A. Kuchment [18]. In 1981 Vainberg and Maz'ya investigated the characteristic Cauchy problem for general hyperbolic equations [8]. Ten years later this result was reproduced by Hörmander, but only for equations of the second order.

In 1987 Vainberg presented and then successfully defended another D.Sc. thesis, Decrease of local energy for exterior hyperbolic problems and quasi-classical approximation. There he proposed a direct method for finding the large-time asymptotic behaviour of the local energy and solutions of non-stationary equations in the exterior of non-trapping obstacles ([4], [7], [9], [11]). This method is based on the high-frequency bounds and low-frequency asymptotic formulae which he found for solutions of the corresponding stationary problems. In particular, the results in his thesis covered all the consequences derived from the Lax-Phillips scattering theory. He later extended his approach to time-periodic media and obstacles ([12], [13]). Then he and his co-authors were able to use these results on the decrease of local energy in their investigations of the asymptotic stability of steady states of non-linear wave equations, and of solitons in the case of a particle interacting with its own wave field and a Klein-Gordon field ([14], [35]).

After moving to the USA, Vainberg established many deep results in conjunction with S.A. Molchanov. They found spectral asymptotic expansions for equations in domains with a fractal boundary ([15], [16]), equations with sparse potentials ([17], [19], [23]), and operators in other important classes ([27], [30], [36]), and they investigated the spectrum of Schrödinger operators with slowly decreasing and random potentials ([20], [24], [33], [34], [37], [38], [40]). Their series of papers [25], [26], [31], [32] was devoted to the propagation of waves in complicated systems of thin waveguides and had applications to fibreglass optics. They found the asymptotic behaviour of the solutions as the diameters of the waveguides tend to zero, obtained boundary matching conditions at the vertices of the limiting one-dimensional graph, and used this simplified problem on the graph to describe wave propagation in the original problem. In conjunction with other colleagues they investigated mathematical models for homopolymers ([28], [29]) and the spectral properties of non-local Schrödinger operators [44]. They also proved global limit theorems for random walks with 'heavy tails' and used these theorems to describe population fronts and to study intermittency phenomena in biological models [45].

Vainberg published a number of joint papers with E. L. Lakshtanov ([39], [41], [46]) on interior transmission eigenvalues (which arise in scattering on obstacles). In particular, they derived a new Weyl law, in which eigenvalues are counted with signs 'plus' or 'minus' depending on the direction of rotation of the corresponding eigenvalue of the scattering matrix. In another paper they and R. G. Novikov showed that a global Riemann–Hilbert problem can always be used in solving two-dimensional inverse scattering problems, even when there are exceptional points [43]. In this way they were able to solve some important non-linear equations in soliton theory in dimension 2+1 (in particular, the focusing Davey–Stewartson II equation) without assuming that the initial data are small ([42], [43], [47], [48]). Vainberg has also made significant contributions to the solution of other important problems in mathematical physics.

Boris Vainberg has a wonderful family, he keeps on playing tennis, skiing, and successfully solving mathematical problems. We wish him good health and new achievements in mathematics.

Yu. V. Egorov, A. I. Komech, P. A. Kuchment, E. L. Lakshtanov, V. G. Maz'ya, S. A. Molchanov, R. G. Novikov, and M. I. Freidlin

Cited publications of B. R. Vainberg

- [1] "Принципы излучения, предельного поглощения и предельной амплитуды в общей теории уравнений с частными производными", УМН 21:3(129) (1966), 115–194; English transl., "Principles of radiation, limit absorption and limit amplitude in the general theory of partial differential equations", Russian Math. Surveys 21:3 (1966), 115–193.
- [2] "О равномерно неэллиптических задачах. Г", Матем. сб. 72(114):4 (1967),
 602–636 (совм. с В. В. Грушиным); English transl., "Uniformly nonelliptic problems. Г", Math. USSR-Sb. 1:4 (1967), 543–568. (with V. V. Grushin)
- [3] "О равномерно неэллиптических задачах. II", *Mamem. cб.* **73(115)**:1 (1967), 126–154 (совм. с В. В. Грушиным); English transl., "Uniformly nonelliptic problems. II", *Math. USSR-Sb.* **2**:1 (1967), 111–133. (with V. V. Grushin)
- [4] "Об аналитических свойствах резольвенты для одного класса пучков операторов", *Mamem. cб.* **77(119)**:2 (1968), 259–296; English transl., "On the analytical properties of the resolvent for a certain class of operator-pencils", *Math. USSR-Sb.* **6**:2 (1968), 241–273.
- [5] "К плоской задаче о движении погруженного в жидкость тела", Тр. ММО, 28, Изд-во Моск. ун-та, М. 1973, с. 35–56 (совм. с В. Г. Мазьей); English transl., "On the plane problem of the motion of a body immersed in a fluid", *Trans. Moscow Math. Soc.* 28 (1973), 33–55. (with V. G. Maz'ya)
- [6] "К задаче об установившихся колебаниях слоя жидкости переменной глубины", Тр. ММО, **28**, Изд-во Моск. ун-та, М. 1973, с. 57–74 (совм. с В. Г. Мазьей); English transl., "On the problem of the steady-state oscillations of a fluid layer of variable depth", *Trans. Moscow Math. Soc.* **28** (1973), 56–73. (with V. Maz'ya)
- [7] "О коротковолновой асимптотике решений стационарных задач и асимптотике при $t \to \infty$ решений нестационарных задач", YMH 30:2(182) (1975), 3–55; English transl., "On the short wave asymptotic behaviour of solutions of stationary problems and the asymptotic behaviour as $t \to \infty$ of solutions of non-stationary problems", $\mathit{Russian}$ Math . $\mathit{Surveys}$ 30:2 (1975), 1–58.
- [8] "Характеристическая задача Коппи для гиперболического уравнения", Тр. сем. им. И.Г. Петровского, 7, Изд-во Моск. ун-та, М. 1981, с. 101–117 (совм. с В.Г. Мазьей); English transl., "Characteristic Cauchy problem for a hyperbolic equation", *J. Soviet Math.* 31:4 (1985), 3135–3147. (with V.G. Maz'ya)
- [9] Асимптотические методы в уравнениях математической физики, Изд-во МГУ, М. 1982, 295 с. [Asymptotic methods in equations of mathematical physics, Moscow State University publishing house, Moscow 1982, 295 pp.]
- [10] "Асимптотическое поведение при $t\to\infty$ решений внешних смешанных задач для гиперболических уравнений и квазиклассика", Дифференциальные уравнения с частными производными 5, Итоги науки и техн. Сер. Соврем. пробл. матем. Фундам. направления, **34**, ВИНИТИ, М. 1988, с. 57–92; English transl., "Asymptotic expansion as $t\to\infty$ of the solutions of exterior boundary value problems for hyperbolic equations and quasiclassical approximations", Partial

- differential equations V, Encyclopaedia Math. Sci., vol. 34, Springer, Berlin 1999, pp. 53–89.
- [11] Asymptotic methods in equations of mathematical physics, rev. and expand. Engl. ed. of [9], Gordon & Breach Science Publishers, New York 1989, viii+498 pp.
- [12] "Scattering of waves in a medium depending periodically on time", *Méthodes semi-classiques*, vol. 2 (Nantes 1991), Astérisque, vol. 210, Soc. Math. France, Paris 1992, pp. 327–340.
- [13] "О локальной энергии решений внешних смешанных периодических по t задач", Тр. ММО, **54**, Изд-во Моск. ун-та, М. 1992, с. 213–242; English transl., "On the local energy of solutions of exterior mixed problems that are periodic with respect to t", Trans. Moscow Math. Soc. **1993** (1993), 191–216.
- [14] "On asymptotic stability of stationary solutions to nonlinear wave and Klein–Gordon equations", Arch. Rational Mech. Anal. 134:3 (1996), 227–248. (with A. Komech)
- [15] "On spectral asymptotics for domains with fractal boundaries", Comm. Math. Phys. 183:1 (1997), 85–117. (with S. Molchanov)
- [16] "On spectral asymptotics for domains with fractal boundaries of cabbage type", Math. Phys. Anal. Geom. 1:2 (1998), 145–170. (with S. Molchanov)
- [17] "Scattering on the system of the sparse bumps: multidimensional case", Appl. Anal. 71:1-4 (1999), 167–185. (with S. Molchanov)
- [18] "On absence of embedded eigenvalues for Schrödinger operators with perturbed periodic potentials", Comm. Partial Differential Equations 25:9-10 (2000), 1809–1826. (with P. Kuchment)
- [19] "Spectrum of multidimensional Schrödinger operators with sparse potentials", Analytical and computational methods in scattering and applied mathematics (Newark, DE 1998), Chapman & Hall/CRC Res. Notes Math., vol. 417, Chapman & Hall/CRC, Boca Raton, FL 2000, pp. 231–254. (with S. Molchanov)
- [20] "First KdV integrals and absolutely continuous spectrum for 1-D Schrödinger operator", Comm. Math. Phys. 216:1 (2001), 195–213. (with S. Molchanov and M. Novitskii)
- [21] "Radiation conditions for the difference Schrödinger operators", Appl. Anal. 80:3-4 (2001), 525–556. (with W. Shaban)
- [22] Linear water waves. A mathematical approach, Cambridge Univ. Press, Cambridge 2002, xviii+513 pp. (with N. Kuznetsov and V. Maz'ya)
- [23] "Quasi 1D localization: deterministic and random potentials", *Markov Process*.

 Related Fields 9:4 (2003), 687–708. (with W. Kirsh, S. Molchanov, and L. Pastur)
- [24] "Schrödinger operators with matrix potentials. Transition from the absolutely continuous to the singular spectrum", *J. Funct. Anal.* **215**:1 (2004), 111–129. (with S. Molchanov)
- [25] "Scattering solutions in networks of thin fibers: small diameter asymptotics", Comm. Math. Phys. 273:2 (2007), 533–559. (with S. Molchanov)
- [26] "Laplace operator in networks of thin fibers: spectrum near the threshold", Stochastic analysis in mathematical physics, World Sci. Publ., Hackensack, NJ 2008, pp. 69–93. (with S. Molchanov)
- [27] "On negative spectrum of Schrödinger type operators", Analysis, partial differential equations and applications, Oper. Theory Adv. Appl., vol. 193, Birkhäuser Verlag, Basel 2009, pp. 197–214. (with S. Molchanov)
- [28] "Continuous model for homopolymers", J. Funct. Anal. 256:8 (2009), 2656–2696. (with M. Cranston, L. Koralov, and S. Molchanov)

- [29] "A solvable model for homopolymers and self-similarity near the critical point", Random Oper. Stoch. Equ. 18:1 (2010), 73–95. (with M. Cranston, L. Koralov, and S. Molchanov)
- [30] "On general Cwikel–Lieb–Rozenblum and Lieb–Thirring inequalities", Around the research of Vladimir Maz'ya. III, Int. Math. Ser. (N. Y.), vol. 13, Springer, New York 2010, pp. 201–246. (with S. Molchanov)
- [31] "Wave propagation in periodic networks of thin fibers", Waves in Random and Complex Media 20:2 (2010), 260–275. (with S. Molchanov)
- [32] "Propagation of waves in networks of thin fibers", Integral methods in science and engineering, vol. I, Birkhäuser Boston, Inc., Boston, MA 2010, pp. 255–278. (with S. Molchanov)
- [33] "The effect of disorder on the wave propagation in one-dimensional periodic optical systems", Waves in Random and Complex Media 21:1 (2011), 135–150. (with Yu. A. Godin and S. Molchanov)
- [34] "Non-random perturbations of the Anderson Hamiltonian", J. Spectr. Theory 1:2 (2011), 179–195. (with S. Molchanov)
- [35] "Scattering of solitons for coupled wave-particle equations", J. Math. Anal. Appl. 389:2 (2012), 713–740. (with V. Imaykin and A. Komech)
- [36] "Bargmann type estimates of the counting function for general Schrödinger operators", J. Math. Sci. (N. Y.) 184:4 (2012), 457–508. (with S. Molchanov)
- [37] "On the negative spectrum of the hierarchical Schrödinger operator", J. Funct. Anal. 263:9 (2012), 2676–2688. (with S. Molchanov)
- [38] "Lyapunov exponent of the random Schrödinger operator with short-range correlated noise potential", Russ. J. Math. Phys. **20**:4 (2013), 438–452. (with Y. A. Godin and S. Molchanov)
- [39] "Applications of elliptic operator theory to the isotropic interior transmission eigenvalue problem", *Inverse Problems* **29**:10 (2013), 104003, 19 pp. (with E. Lakshtanov)
- [40] "On mathematical foundation of the Brownian motor theory", J. Funct. Anal. 267:6 (2014), 1725–1750. (with L. Koralov and S. Molchanov)
- [41] "Sharp Weyl law for signed counting function of positive interior transmission eigenvalues", SIAM J. Math. Anal. 47:4 (2015), 3212–3234. (with E. Lakshtanov)
- [42] "On reconstruction of complex-valued once differentiable conductivities", J. Spectr. Theory 6:4 (2016), 881–902. (with E. Lakshtanov)
- [43] "A global Riemann–Hilbert problem for two-dimensional inverse scattering at fixed energy", Rend. Inst. Mat. Univ. Trieste 48 (2016), 21–47. (with E. L. Lakshtanov and R. G. Novikov)
- [44] "Spectral analysis of non-local Schrödinger operators", *J. Funct. Anal.* **273**:3 (2017), 1020–1048. (with Yu. Kondratiev and S. Molchanov)
- [45] "Intermittency for branching walks with heavy tails", Stoch. Dyn. 17:6 (2017), 1750044, 14 pp. (with A. Getan and S. Molchanov)
- [46] "Recovery of interior eigenvalues from reduced near field data", Appl. Anal. 96:15 (2017), 2545–2552. (with E. Lakshtanov)
- [47] "Recovery of L_p -potential in the plane", J. Inverse Ill-Posed Probl. 25:5 (2017), 633–651. (with E. Lakshtanov)
- [48] "Solution of the initial value problem for the focusing Davey–Stewartson II system", Differential equations, mathematical physics, and applications. Selim Grigorievich Krein Centennial, Contemp. Math., Amer. Math. Soc., Providence, RI (to appear); 2017 (v1 2016), 16 pp., arXiv: 1604.01182. (with E. Lakshtanov)